

GARMIN RINO 610

Rugged, waterproof and ready for you next adventure, Rino 610 puts a 1-Watt FRS/GMRS radio and a 2.6" glove-friendly color touchscreen GPS right in the palm of your hands.



Pinpoint Your Position

With its high-sensitivity GPS receiver and quad helix antenna, Rino 610 quickly finds your position and maintains it – even in heavy cover. The device comes with a worldwide basemap with shaded relief, so you can navigate anywhere with ease.

Adding more maps is easy with Garmin's wide array of detailed topographic, marine and road maps. Rino 610 lets you load <u>TOPO U.S. 24K</u> maps and hit the trail or<u>BirdsEye Satellite Imagery</u> (subscription required), which lets you download satellite images to your device and integrate them with your maps. In addition, Rino 610 is compatible with <u>Custom Maps</u>, free software that transforms paper and electronic maps into downloadable maps for your device.

Find Your Friends

Rino 610's unique Position Reporting capability lets you send your exact location to other Rino users so they can see it on their map page. You can also send unit-to-unit text messages to other Rino users in your area – it's ideal for loud or windy conditions, or just when you don't want to disturb the wildlife. Plus, improved audio performance means it's easy to communicate with any other conventional FRS/GMRS radio in the area. The device can be useful in an emergency, or just a handy way to keep tabs on your hunting party, hiking partner, family or friends.

Plan Your Next Trip

Take charge of your next adventure with $\underline{BaseCamp}^{\mathsf{TM}}$, software to view and organize your maps, waypoints, routes, and tracks and send them to your Garmin device. This free tripplanning software displays topgraphic map data in 2-D or 3-D on your computer screen, including contour lines and elevation profiles. It also can transfer an unlimited amount of satellite images when paired with a BirdsEye Satellite Imagery subscription as well as geotag photos, or associate them with specific waypoints.



FEATURES



Advanced Contact Tracking

What's in a name? A lot when it comes to Rino. Now, you can track 2,000 points of information per contact. Plus, the track manager makes it easy for you to maintain and review who you've been tracking.



Improved Notes

Gone are the days of missing a note. Rino time stamps and records the notes you receive from contacts for later review, or forwarding.



Dashboards

Bring more functionality to your device with more dashboards in more places. View your elevation plot, coordinates, compass arrow and more on any page, at any time.





Multiple Personalities with Multiple Profiles

Customize Rino to be as well-rounded as you. You can set up different profiles so you can quickly switch personalities based on what you're doing - hiking, driving or more. With Rino, you'll never miss a beat.



View Multiple Contacts

Stay with your group, even when they are far away. Rino lets you view multiple contacts on 1 screen, so even if you're far away, you can see where they are in relation to you. Plus, you can easily route to your friends or regroup if you need to.

Rugged GPS + Radio

- Uses HotFix® and a high sensitivity receiver and quad helix antenna to acquire satellites
- Offers an improved base map with Digital Elevation Model
- Offers improved mapping support with access to <u>TOPO U.S. 24K</u>, <u>BirdsEye Satellite Imagery, Garmin Custom Maps</u> and more (sold separately)
- Uses a universally accepted GPX file format to store your data and allow compatbility with your computer
- Offers a 2.6" glove-friendly color touchscreen
- Allows you to send unit-to-unit text messages to other Rino users via radio signals

TECHNICAL SPECIFICATION:

Physical & Performance:	
Unit dimensions, WxHxD:	2.4" x 7.5" x 2.2" (6.0 x 19.0 x 5.6 cm)
Display size, WxH:	1.43" x 2.15" (3.6 x 5.5 cm); 2.6" diag (6.6 cm)



Display type: transflective, 65-K color TFT Weight: 12.2 oz (345 g) with batteries Battery: 4 AA batteries (not included) Battery life: 18 hours Waterproof: yes (IPX7) High-sensitivity receiver: yes Interface: high-speed USB and NMEA 0183 compatible Maps & Memory: Basemap: yes Preloaded maps: no Ability to add maps: yes Built-in memory: 1.7 GB Accepts data cards: no Waypoints/favorites/locations: 2000 Routes: 200 Track log: 10,000 points, 200 saved tracks Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: no Barometric altimeter: no Camera: no Picture viewer: yes Unit-to-unit transfer and ANT+™ compatible: no Innit-to-unit transfer and ANT+™ compatible: yes Sun and moon information: yes Area calculation: yes Other: Frequency band: FRS and GMRS Channels: Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS Range: Up to 2 miles FRS; up to 5 miles over	Display resolution, WxH:	160 x 240 pixels
Battery: 4 AA batteries (not included) Battery life: 18 hours Waterproof: yes (IPX7) High-sensitivity receiver: yes Interface: high-speed USB and NMEA 0183 compatible Maps & Memory: Basemap: yes Preloaded maps: no Ability to add maps: yes Built-in memory: 1.7 GB Accepts data cards: no Waypoints/favorites/locations: 2000 Routes: 200 Track log: 10,000 points, 200 saved tracks Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: no Barometric altimeter: no Camera: no Picture viewer: yes Unit-to-unit transfer and ANT+™ compatible: no Hunt/fish calendar: yes Sun and moon information: yes Area calculation: yes Other: Frequency band: FRS and GMRS Channels: 22 Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Display type:	transflective, 65-K color TFT
Battery life: 18 hours Waterproof: yes (IPX7) High-sensitivity receiver: yes Interface: high-speed USB and NMEA 0183 compatible Maps & Memory: Basemap: yes Preloaded maps: no Ability to add maps: yes Built-in memory: 1.7 GB Accepts data cards: no Waypoints/favorites/locations: 2000 Routes: 200 Track log: 10,000 points, 200 saved tracks Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: no Barometric altimeter: no Camera: no Picture viewer: yes Unit-to-unit transfer and ANT+™ compatible: no Hunt/fish calendar: yes Sun and moon information: yes Area calculation: yes Other: Frequency band: FRS and GMRS Channels: 22 Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Weight:	12.2 oz (345 g) with batteries
Waterproof: High-sensitivity receiver: Interface: high-speed USB and NMEA 0183 compatible Maps & Memory: Basemap: Preloaded maps: No Ability to add maps: Built-in memory: Accepts data cards: Naypoints/favorites/locations: No Waypoints/favorites/locations: No Routes: No Track log: Peatures & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: No Barometric altimeter: Camera: No Picture viewer: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Ves	Battery:	4 AA batteries (not included)
High-sensitivity receiver: yes Interface: high-speed USB and NMEA 0183 compatible Maps & Memory: Basemap: yes Preloaded maps: no Ability to add maps: yes Built-in memory: 1.7 GB Accepts data cards: no Waypoints/favorites/locations: 2000 Routes: 200 Track log: 10,000 points, 200 saved tracks Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: no Barometric altimeter: no Camera: no Picture viewer: yes Unit-to-unit transfer and ANT+™ no compatible: Hunt/fish calendar: yes Sun and moon information: yes Area calculation: yes Other: Frequency band: FRS and GMRS Channels: 22 Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Battery life:	18 hours
Interface: high-speed USB and NMEA 0183 compatible	Waterproof:	yes (IPX7)
Maps & Memory: Basemap: yes Preloaded maps: no Ability to add maps: yes Built-in memory: 1.7 GB Accepts data cards: no Waypoints/favorites/locations: 2000 Routes: 200 Track log: 10,000 points, 200 saved tracks Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: no Barometric altimeter: no Camera: no Picture viewer: yes Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: yes Sun and moon information: yes Area calculation: yes Other: Frequency band: FRS and GMRS Channels: 22 Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS	High-sensitivity receiver:	yes
Basemap: yes Preloaded maps: no Ability to add maps: yes Built-in memory: 1.7 GB Accepts data cards: no Waypoints/favorites/locations: 2000 Routes: 200 Track log: 10,000 points, 200 saved tracks Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: no Barometric altimeter: no Camera: no Picture viewer: yes Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: yes Sun and moon information: yes Area calculation: yes Other: Frequency band: FRS and GMRS Channels: 22 Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Interface:	
Preloaded maps: Ability to add maps: Built-in memory: Accepts data cards: Naypoints/favorites/locations: Routes: Track log: Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: Barometric altimeter: Camera: Nitterounit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: FRS and GMRS Channels: Sun and mower: Note of the substitute of th	Maps & Memory:	
Ability to add maps: Built-in memory: Accepts data cards: No Waypoints/favorites/locations: Routes: Track log: Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: Barometric altimeter: Camera: No Picture viewer: Unit-to-unit transfer and ANT+TM compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: FRS and GMRS Channels: 22 Squelch codes: Transmit power: Unit-Grad GMRS Consulted AMRS Transmit power: Pess No 1.7 GB 1.7	Basemap:	yes
Built-in memory: Accepts data cards: Naypoints/favorites/locations: Routes: Track log: Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: Barometric altimeter: Camera: No Picture viewer: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Channels: Sun Barometric altimeter: Frequency band: FRS and GMRS Channels: 22 Squelch codes: Transmit power: 1.7 GB no 10,000 points, 200 saved tracks Pyes 10,000 points, 200 saved tracks Pyes No No Possible: Press	Preloaded maps:	no
Accepts data cards: Waypoints/favorites/locations: Routes: Track log: Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: Barometric altimeter: Camera: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Channels: Sun Sand GMRS Channels: 200 10,000 points, 200 saved tracks 10,000 points,	Ability to add maps:	yes
Waypoints/favorites/locations: 2000 Routes: 200 Track log: 10,000 points, 200 saved tracks Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: Barometric altimeter: no Camera: no Picture viewer: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: yes Sun and moon information: Area calculation: Other: Frequency band: FRS and GMRS Channels: 22 Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Built-in memory:	1.7 GB
Routes: Track log: Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: Barometric altimeter: Camera: Picture viewer: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Frequency band: Channels: Squelch codes: Transmit power: 100,000 points, 200 saved tracks Fes and Saved tracks 100,000 points, 200 saved tracks 100 points, 200 save	Accepts data cards:	no
Track log: Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: Barometric altimeter: Camera: Picture viewer: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Frequency band: Channels: Squelch codes: Transmit power: 10,000 points, 200 saved tracks yes 10,000 points, 200 saved tracks Fes Fres Fres Fres Fres Fres Fres FRS FRS And GMRS Channels: Squelch codes: Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Waypoints/favorites/locations:	2000
Features & Benefits: Automatic routing (turn by turn routing on roads): Electronic compass: Barometric altimeter: Camera: Picture viewer: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: FRS and GMRS Channels: 22 Squelch codes: Transmit power: Sun and moor information: 25 38 (CTCSS); 83 (DCS) Transmit power: Frequency band: Compatible: Automatic routing (turn by turn routing yes) no Possible: Programmatic power: Automatic power Programmatic power Automatic power Programmatic power Automatic power Programmatic power Programma	Routes:	200
Automatic routing (turn by turn routing on roads): Electronic compass: Barometric altimeter: Camera: Picture viewer: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Channels: Squelch codes: Transmit power: Frequency band: Other: Frequency band: FRS and GMRS CCCSS); 83 (DCS) Transmit power: Others Pyes Others Other	Track log:	10,000 points, 200 saved tracks
on roads): Electronic compass: Barometric altimeter: Camera: Picture viewer: Unit-to-unit transfer and ANT+TM compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Channels: Squelch codes: Transmit power: Pyes no no Picture viewer: yes no FRS and GMRS CHANNELS: 22 Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Features & Benefits:	
Barometric altimeter: Camera: no Picture viewer: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Channels: Squelch codes: Transmit power: no no Res yes yes No No No No No No No No No N		yes
Camera: Picture viewer: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Channels: Squelch codes: Transmit power: Ino no Picture viewer: yes no No Picture viewer: yes No Picture viewer: Press Press Press Press PRS and GMRS CTCSS); 83 (DCS) O.5 watts FRS, 1.0 watt GMRS	Electronic compass:	no
Picture viewer: Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Channels: Squelch codes: Transmit power: yes no po no RNS FRS and GMRS 22 Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Barometric altimeter:	no
Unit-to-unit transfer and ANT+™ compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Channels: Squelch codes: Transmit power: Ino no no no no no no no no n	Camera:	no
compatible: Hunt/fish calendar: Sun and moon information: Area calculation: Other: Frequency band: Channels: Squelch codes: Transmit power: Into the page 1.00 percent of the page 2.00 percent of the page 3.00 percent of	Picture viewer:	yes
Sun and moon information: Area calculation: Other: Frequency band: Channels: Squelch codes: Transmit power: Yes Yes FRS and GMRS 22 Squelch codes: 38 (CTCSS); 83 (DCS) 0.5 watts FRS, 1.0 watt GMRS		no
Area calculation: Other: Frequency band: Channels: Squelch codes: Transmit power: FRS and GMRS 22 38 (CTCSS); 83 (DCS) 0.5 watts FRS, 1.0 watt GMRS	Hunt/fish calendar:	yes
Other: Frequency band: Channels: Squelch codes: Transmit power: FRS and GMRS 22 38 (CTCSS); 83 (DCS) 0.5 watts FRS, 1.0 watt GMRS	Sun and moon information:	yes
Frequency band: Channels: Squelch codes: Transmit power: FRS and GMRS 22 38 (CTCSS); 83 (DCS) 0.5 watts FRS, 1.0 watt GMRS	Area calculation:	yes
Channels: 22 Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Other:	
Squelch codes: 38 (CTCSS); 83 (DCS) Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Frequency band:	FRS and GMRS
Transmit power: 0.5 watts FRS, 1.0 watt GMRS	Channels:	22
	Squelch codes:	38 (CTCSS); 83 (DCS)
Range: Up to 2 miles FRS; up to 5 miles over	Transmit power:	0.5 watts FRS, 1.0 watt GMRS
	Range:	Up to 2 miles FRS; up to 5 miles over



	GMRS (US); up to 8 km over GMRS (Canada)
VOX (voice activation):	yes
Location reporting (send and receive GPS positions):	yes
Vibration alert:	yes
NOAA weather radio:	no